I-Core®

I-Core®

La prossima generazione del controllo commerciale

Caratteristiche | **Modelli** | **Specifiche** | **Documenti**

I-Core è il programmatore Hunter per le applicazioni più esigenti in campo commerciale e residenziale di alto livello. Ricco di funzioni innovative quali il controllo della portata in tempo reale, le luci di avviso di possibili problemi sul frontalino, lo SmartPort® installato da fabbrica, un display ampio retroillumintao a sei lingue (italiano incluso), I-Core è la scelta giusta per la maggior parte dei progetti di irrigazione di alto livello. I-Core è unico grazie alla sua estrema versatilità. La versione con armadietto in plastica è espandibile da 6 a 30 stazioni mentre quello in metallo può gestirne fino a 42. Inoltre aggiungendo il modulo per decodificatori DUAL® è possibile espanderlo ulteriormente fino a 48 stazioni monocavo. Sono disponibili anche modelli in acciaio inossidabile e su piedistallo (plastica o metallo), che completano così l'ampia scelta di modelli. Con le opzioni disponibili quali i telecomandi ROAM, ROAM XL o il sensore di Evapotraspirazione Solar-Sync® per risparmiare acqua, le possibilità di I-Core sono praticamente illimitate.

- Numero di stazioni: da 6 a 42 (48 stazioni monocavo con modulo DUAL)
- Tipo: Modulare
- Armadietto: Per esterno in plastica, metallo o acciaio
- Programmi indipendenti: 4
- Partenze giornaliere per programma: 8 (A, B, C); 16 (D)
- Tempo di funzionamento massimo della stazione: 12 ore
- Periodo di garanzia: 5 anni

Programmatori intelligenti WaterSense grazie alla aggiunta di un Solar Sync [1]

Monitoraggio portata in tempo reale [3]

Memoria Easy Retrieve [4]

Partenza manuale con un singolo pulsante [5]

Ritardo di irrigazione programmabile [6]

Quick Check [7]

Memoria permanente [8]

Protezione automatica contro i corto circuiti [9]

Regolazione stagionale: Globale, Mensile (per programma), Automatica (via Solar Sync). [10]

Ritardo tra le stazioni per I-Core e ACC [11]

Programmabilità sensore per I-Core [12]

Calcolatore del tempo di funzionamento totale [13]

Ciclo e assorbimento [14]

Finestra di non irrigazione [15]

Programmazione giorni specifici di non irrigazione [16]

Azionamento ritardato del Solar Sync [17]

Programmazione Multilingue [18]

Source URL (retrieved on *25/04/2015 - 00:07*): http://www.hunterindustries.com/it/product/programmatori/i-corer?source=lang&from=en&to=it&solrsort=sort_label%2520asc

Links:
[1] http://www.hunterindustries.com/it/node/36551
[2] http://www.hunterindustries.com/it/cose-un-programmatore-intelligente
[3] http://www.hunterindustries.com/it/node/5191
[4] http://www.hunterindustries.com/it/node/4966
[5] http://www.hunterindustries.com/it/node/5151
[6] http://www.hunterindustries.com/it/node/5171
[7] http://www.hunterindustries.com/it/node/5181
[8] http://www.hunterindustries.com/it/node/5146
[9] http://www.hunterindustries.com/it/node/4921
[10] http://www.hunterindustries.com/it/node/5286
[11] http://www.hunterindustries.com/it/node/9986
[12] http://www.hunterindustries.com/it/node/9991
[13] http://www.hunterindustries.com/it/node/5411
[14] http://www.hunterindustries.com/it/node/10036
[15] http://www.hunterindustries.com/it/node/5136
[16] http://www.hunterindustries.com/it/node/4976
[17] http://www.hunterindustries.com/it/node/33901

[18] http://www.hunterindustries.com/it/node/10031
[19] http://www.hunterindustries.com/sites/default/files/BR_ICore_IT.pdf
[20] http://www.hunterindustries.com/sites/default/files/BR_ICore_dom.pdf
[21] http://www.hunterindustries.com/sites/default/files/BR_ICore_em.pdf
[22] http://www.hunterindustries.com/sites/default/files/BR_ICore_SP.pdf
[23] http://www.hunterindustries.com/sites/default/files/BR_ICore_FR.pdf
[24] http://www.hunterindustries.com/sites/default/files/BR_ICore_PT.pdf
[25] http://www.hunterindustries.com/sites/default/files/BR_ICore_GR.pdf
[26] http://www.hunterindustries.com/sites/default/files/BR_ICore_TK.pdf
[27] http://www.hunterindustries.com/sites/default/files/br_icore_ru.pdf
[28] http://www.hunterindustries.com/it/global
[29] http://www.hunterindustries.com/sites/default/files/OM_ICore_IT.pdf
[30] http://www.hunterindustries.com/sites/default/files/OM_ICORE_Dom.pdf
[31] http://www.hunterindustries.com/sites/default/files/OM_ICORE_em.pdf
[32] http://www.hunterindustries.com/sites/default/files/OM_ICore_SP.pdf
[33] http://www.hunterindustries.com/sites/default/files/OM_ICore_FR.pdf
[34] http://www.hunterindustries.com/sites/default/files/OM_ICore_PT.pdf
[35] http://www.hunterindustries.com/sites/default/files/OM_ICore_GR.pdf
[36] http://www.hunterindustries.com/sites/default/files/om_icore_tr.pdf
[37] http://www.hunterindustries.com/sites/default/files/om_icore_po.pdf
[38] http://www.hunterindustries.com/sites/default/files/dc_icore_it.pdf
[39] http://www.hunterindustries.com/sites/default/files/dc_icore_dom.pdf
[40] http://www.hunterindustries.com/sites/default/files/dc_icore_em.pdf
[41] http://www.hunterindustries.com/sites/default/files/dc_icore_sp.pdf
[42] http://www.hunterindustries.com/sites/default/files/dc_icore_fr.pdf
[43] http://www.hunterindustries.com/sites/default/files/dc_icore_pt.pdf
[44] http://www.hunterindustries.com/sites/default/files/dc_icore_gr.pdf