Pro-Spray[™]

Conheça o corpo de spray mais forte e versátil do setor.

PRINCIPAIS BENEFÍCIOS

- O corpo de spray mais resistente do mercado para anos de desempenho confiável
- Selo de vedação duplamente moldado feito de materiais guímicos e resistentes ao cloro
- O design inovador da vedação evita vazamentos da tampa ao corpo
- Mola resistente para retração consistente do tubo de subida
- A opção de válvula antidreno elimina a drenagem das cabeças localizadas em posições mais baixas
- Design do plugue de descarga direcional para uma instalação mais limpa
- Componentes intercambiáveis para facilitar as manutenções, modernizações e atualizações



especificações de operação

- Intervalo de pressão operacional: 1,0 a 7,0 bar; 100 a 700 kPa
- Período de garantia: 5 anos

Opções instaladas de fábrica

- Válvula antidreno disponível nos modelos de 10 cm, 15 cm e 30 cm (até 3 m elevação)
- Tampa identificadora de águas residuais

Opções instaladas pelo usuário

- Válvula antidreno (até 3 m de elevação) P/N: 437400SP
- Tampa de identificação de água residual P/N: 458520SP
- Tampa de encaixe para água residual P/N: PROS-RC-CAP-SP
- Tampa de desligamento P/N: 213600SP
- Bocal de desligamento P/N: 916400SP

Copyright © 2024 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

https://www.hunterindustries.com/pt/irrigation-product/aspersores/pro-spraytm 072724