





DESIGNING WITH PRO-SPRAY® PRS40

Calibrated at a consistent 2.8 bar, the Pro-Spray PRS40 provides optimal performance when combined with the MP Rotator.



SPRAYS WITH PRESSURE REGULATION *BALANCED LINE*

The pressure regulated Pro-Spray PRS40 will precisely regulate each head to 2.8 bar.



SPRAYS WITHOUT PRESSURE REGULATION *UNBALANCED LINE*

When pressure regulation is not used, each head will have a different pressure depending on its location on the line.

MODELS AVAILABLE

MP800SR 1.8 to 3.5 m radius



SR Series precipitation rates differ from standard MP Rotators. To maintain matched precipitation within each zone, it is strongly suggested to zone the SR Series separately.

MP1000 2.5 to 4.5 m radius



MP2000 4.0 to 6.4 m radius




MP3000 6.7 to 9.1 m radius



MP3500 9.4 to 10.7 m radius



MP Strips



Mix and match any MP Rotators in a single zone for optimal coverage and unbeatable efficiency.



MULTI-STREAM TECHNOLOGY MAXIMISES THE WATER EFFICIENCY OF YOUR IRRIGATION SYSTEM

SUPERIOR EFFICIENCY

Multiple rotating streams provide excellent coverage

MINIMAL RUNOFF

Low application rate reduces runoff

MP ROTATOR® TECHNOLOGY

Proven durability in demanding conditions

SUPERIOR DIRT TOLERANCE

“Double-pop” feature keeps the nozzle free from external debris

SIMPLE INSTALLATION

Installs easily on any spray body - perfect for retrofits. Choose the MP-HT for female-threaded spray bodies.



Multiple streams COUNTLESS BENEFITS



Save Water The Smart Way

The MP Rotator uses rotating multi-stream, multi-trajectory technology to achieve water-conserving results. It is a breakthrough solution enabling levels of conservation that are increasingly necessary and even mandated.

RESIDENTIAL & COMMERCIAL IRRIGATION | *Built on Innovation®*
Learn more. Visit hunterindustries.com





USE 30% LESS WATER
and Avoid Runoff

CONSERVING WATER IS EVERYONE'S RESPONSIBILITY.


With Hunter's MP Rotators®, multi-trajectory rotating streams provide superior uniformity with a low application rate that reduces runoff...and water bills. Retrofit a system with MPs, and see water use reduced by 30% or more.

HOW DOES THE MP ROTATOR CONSERVE MORE WATER?


The MP Rotator's incomparable uniformity places water at the precise location needed at a rate soils can absorb.



HIGH UNIFORMITY Water is delivered evenly at 10 mm/hr with the standard MP Rotator and 20 mm/hr with the SR series.




LOW UNIFORMITY Water is dispersed with inconsistent uniformity at 40 mm/hr, creating dry spots, flooding, and runoff.



MP Rotators outperform landscape dripline installed under turf or landscape beds. Driplines apply water at point locations that result in uneven water distribution and overwatering.


IRRIGATION DESIGN WITH TRADITIONAL SPRAY HEADS



MATERIALS NEEDED

	WITH SPRAYS	WITH MP ROTATOR
VALVES	6	2
MAINLINE	45 M	4.5 M
LATERALS	244 M	183 M
SPRINKLERS	55	34
CONTROLLER	6-STATION	3-STATION
WIRE	53 M	6 M
OVERALL COST	\$\$\$\$	\$\$

IRRIGATION DESIGN WITH MP ROTATORS



45% SAVINGS ON OVERALL SYSTEM COST WITH MP ROTATORS