

ICC2

Number of Stations: **8 - 54**
Type: **Modular**

FEATURES

- Number of stations: 8 to 54 (metal), 8 to 38 (plastic)
- Type: Modular
- Enclosure: Outdoor plastic, metal, stainless steel, plastic pedestal
- Backlit display
- Independent programs: 4
- Start Times per program: 8
- Max station run time: 12 hours
- Simultaneous program operation: 2
- Warranty period: 5 years
- ▶ Built in Solar Sync®
- ▶ Solar Sync Delay feature
- ▶ Cycle and Soak
- ▶ Easy Retrieve™ Memory
- ▶ QuickCheck™
- ▶ Automatic short circuit protection
- ▶ Seasonal Adjustment: Manual or automatic via Solar Sync
- ▶ Delay between stations
- ▶ Sensor programmability
- ▶ Programmable Clik Delay
- ▶ Non-Water Days
- ▶ Added knockouts for mounting flexibility
- ▶ Non-volatile memory
- ▶ Rain Sensor bypass
- ▶ One-touch manual start and advance

ELECTRICAL SPECIFICATIONS

- Transformer input: 120/230 VAC
- Transformer output: 24 VAC, 1.4 A
- Station output: (24V) 0.56 A
- P/MV (24 VAC): Up to 0.56 A
- Sensor inputs: 1

APPROVALS

- CE, UL, cUL, FCC, RCM
- Plastic Wall Mount: IP44, NEMA 3R
- Metal Wall Mount (includes stainless): IP44, NEMA 3R
- Plastic Pedestal: IP24, NEMA 3R

▶ = *Advanced Feature descriptions on page 101*



Plastic

Height: 30 cm
Width: 35 cm
Depth: 13 cm

Metal (Grey or Stainless)

Height: 41 cm
Width: 33 cm
Depth: 13 cm



Expansion Modules

These enhanced station output modules expand both old and new versions of ICC, and include additional surge suppression, in increments of 4, 8 or 22 stations.

ICC2	
Model	Description
I2C-800-PL	8 station base model, plastic outdoor wall mount
I2C-800-M	8 station base model, gray metal outdoor, wall mount
I2C-800-SS	8 station base model, stainless steel, wall mount
I2C-800-PP	8 station base model, plastic pedestal
ICC-FPUP2	ICC2 Retrofit Kit for original ICCs
ICC-PED	Gray pedestal for metal wall mount
ICC-PED-SS	Stainless steel pedestal for stainless wall mount
ICC-PWB	Optional Pedestal Wiring Board for metal pedestals

ICC 2 SERIES STATION EXPANSION	
Model	Description
ICM-400	4-station plug-in module with enhanced surge suppression
ICM-800	8-station plug-in module with enhanced surge suppression
ICM-2200	22-station expansion module (one per controller)
Note Newer ICM-400 and ICM-800 modules are backward compatible with the original ICC controller.	