

PRO-C®

Simple programming and flexible station expansion make Pro-C the professional's choice for residential and light commercial systems.

KEY BENEFITS

- Number of stations:
 - Modular Pro-C
 - Conventional wiring from 4 to 23 stations
 - Hybrid EZ Decoder option up to 32 total stations (28 stations max. if two-wire only)
 - Fixed PCC with 6- and 12-station options
- 3 independent irrigation programs (4 start times each) allow for customized scheduling
- 1 sensor input available for use with Solar Sync® or any Clik sensors
- 1 P/MV output for pump start relay and master valve activation
- Dedicated Solar Sync dial position provides logic for smart water savings
- Easy Retrieve® memory allows for manual backup and retrieval of preferred settings and programming
- QuickCheck™ provides simple diagnostics of faulty field wiring
- 3 independent lighting programs available for simultaneous irrigation and lighting control

OPERATING SPECIFICATIONS

- Transformer input: 120 VAC
- Transformer output (24 VAC): 1 A
- Station output (24 VAC): 0.56 A
- P/MV output (24 VAC): 0.28 A
- Approvals: UL, cUL, FCC, CE, RCM
- Warranty period: 2 years



Plastic Indoor

Height: 9"
Width: 10"
Depth: 4½"



Plastic Outdoor


Height: 9"
Width: 10"
Depth: 4½"

STANDARD CONTROLLERS

PRO-C	
Model	Description
PCC-600i	Fixed 6-station, plastic indoor wall mount
PCC-600	Fixed 6-station, plastic outdoor wall mount
PCC-1200i	Fixed 12-station, plastic indoor wall mount
PCC-1200	Fixed 12-station, plastic outdoor wall mount
PC-400i	Modular 4-station base, plastic indoor wall mount
PC-400	Modular 4-station base, plastic outdoor wall mount

PC-SERIES STATION EXPANSION	
Modules	Description
PCM-300	3-station plug-in module
PCM-900	9-station plug-in module (maximum, one per controller)
PCM-1600-KIT	Upgrade kit for 16-station plug-in module
PC-DM-KIT	Upgrade kit for EZ decoder output module

Compatible with:



EZ Decoder System



**ROAM Remote
ROAM XL Remote**



PXSYNC Accessory
Visit fxl.com



EPA WaterSense

Add the WaterSense-labeled Solar Sync sensor to improve the water efficiency of this controller.