


STK-1B


SYNTHETIC TURF BLOCK ROTOR & ENCLOSURE SYSTEM



XX **STK-1B TOP VIEW**

SCALE: 1 : 8

Irrigation Detail



XX **STK-1B SIDE VIEW**

SCALE: 1 : 8

Irrigation Detail

- ① HUNTER ST173026B* COMPOSITE BOX & 2-PIECE POLYMER-CONCRETE LID ASSEMBLY WITH CAST-IN OPENING TO SUPPORT ROTOR LATERAL THRUST PLUS CAST IN OPENING WITH CIRCULAR COVER FOR QUICK COUPLER ACCESS
- ② OPTIONAL - SYNTHETIC TURF OR RUNNING TRACK MATERIAL ATTACHED TO COVERS
- ③ FINISHED GRADE SET TO FIELD PERIMETER TACK/GLUE BOARD OR AS PER SPECIFICATION
- ④ 50mm X 100mm TACK/GLUE BOARD AS PER SPECIFICATION ALL SIDES
- ⑤ HUNTER STG-900 WITH RUBBER COVER KIT 473900 INSTALLED
- ⑥ HUNTER 239800 & 239300 ROTOR ADAPTER FITTING WITH 3 ACME PIVOT POINTS
- ⑦ HUNTER ST2008VA PREFABRICATED 63mm SCH 80 PVC SWING JOINT WITH 6 ACME PIVOT POINTS TO PROVIDE MULTI-AXIS ARTICULATION AND ALIGNMENT OF ROTOR TO THE OPENING IN ENCLOSURE COVER
- ⑧ HUNTER HQ5RC-BSP QUICK COUPLING VALVE
- ⑨ HUNTER 241400 BSP INLET ADAPTER
- ⑩ LATERAL PIPING AND FITTINGS - 63mm MINIMUM AS PER SPECIFICATION FROM CONTROL VALVE THROUGH TO ST2008VA SWING JOINT
- ⑪ SCH 80 PVC RISER SUPPLY PIPING AND FITTINGS - 32mm MINIMUM
- ⑫ ACME THREADED PIVOTING POINTS (9 TOTAL)
- ⑬ 20mm MINUS WASHED GRAVEL
- ⑭ 16mm X 760mm REBAR STAKE AND STAINLESS STEEL STRAPING
- ⑮ COMPACTED FIELD BASE MATERIAL AS PER SPECIFICATION
- ⑯ PROVIDE DRAINAGE VIA ACCESS TO FIELD DRAINAGE SYSTEM
- ⑰ TOP OF QUICK COUPLER SET 13mm BELOW UNDERSIDE OF ENCLOSURE COVER
- ⑱ GRAVEL LEVEL 130mm BELOW UNDERSIDE OF ENCLOSURE COVER (TO BOTTOM OF ROTOR'S COMPARTMENT)
- ⑲ ELEVATION OF SWING JOINT'S INLET - SET SECOND PIVOT POINT ON SWING JOINT WITH BOTTOM OF ENCLOSURE PER SIDE VIEW DETAIL DRAWING (660mm BELOW ENCLOSURE TOP)
- ⑳ LOCATION OF SWING JOINT'S INLET - SET INLET AT EDGE BETWEEN ENCLOSURE COVERS & LOCATE 130mm FROM THE TOP OF COVER PER TOP VIEW DETAIL DRAWING. INLET MUST NOT BE SET CLOSER TO ROTOR THAN SHOWN.
- ㉑ LOCATION OF QUICK COUPLER INLET PIPING - MEASURE INLET PIPING LOCATION AT TOP RIGHT HAND CORNER OF ENCLOSURE - 130mm FROM TOP EDGE AND 130mm FROM SIDE EDGE.

*ENCLOSURE DIMENSIONS

- 2 - PIECE COVER - 432mm X 762mm
- EXPOSED RIM - 508mm X 838mm
- OVERALL HEIGHT - 660mm
- BASE PAD - 686mm X 1041mm