NODE-BT (*)

Simple by design, reliable by reputation: Meet the best battery-operated Bluetooth controller in the industry

KEY BENEFITS

NODE-BT App

Controller schedule and sensor settings are managed via the NODE-BT App and serve as a remote control for an unlimited number of devices.



Manual Operation


NODE-BT's simple interface acts as a diagnostic tool for quicker troubleshooting.



LED turns red or flashes green to indicate battery health at a glance



NODE-BT is available in 1-, 2-, and 4-station models.



Redesigned Seal

Durable cap and ring are quick to remove and prevent corrosion and water intrusion.







IN THE FIELD

Challenge: Battery-operated controllers require locating the valve box, reaching a inside a dirty opening, and program the controller using a dark screen and buttons.

Solution: Avoid the valve box with the NODE-BT App, allowing full programming from up to 50' away and save each controller's location.

Challenge: Battery-operated controllers require periodic battery replacement, 2 leaving plants to suffer if maintenance is missed.

Solution: Only the NODE-BT accepts up to two 9 V batteries, extending the time between service intervals.

IN THE DESIGN OFFICE

- Pre-program the controller schedule and password protect the unit before installation to reduce site changes.
- Quickly verify operation with the Event Logger, which details the previous 100 controller events which can be shared with the site owner or maintenance crew.





BLUETOOTH BATTERY-OPERATED CONTROLLER COMPARISON

	FEATURES	NODE-BT	Competitor 1	Competitor 2
IRRIGATION MOBILE APP	Bluetooth performance and range			
	View and edit irrigation schedules offline	•		
	Pin controllers on a map for faster locating	•		
	App shows the last battery-change date and sends reminders	•		
	Ability to upload zone images, rename stations, programs, and controllers	•		
	Review up to 100 irrigation events			
	Run times from 1 second to 12 hours	•		
	0-300% monthly seasonal adjust	•	•	•
	Cycle and soak to prevent runoff	•		
	Soil moisture sensor capable	•		
CONTROLLER	Physical start/stop buttons on the controller	•		
	Battery indicator on the controller			
	Rugged cap with double O-ring seal	•		

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG Inc. and any use of such marks by Hunter Industries is under license.





